



Европейски съюз

ЕВРОПЕЙСКИ СОЦИАЛЕН ФОНД 2007 – 2013  
МИНИСТЕРСТВО НА ОБРАЗОВАНИЕТО И НАУКАТА  
ОПЕРАТИВНА ПРОГРАМА „РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



BG051PO001-3.3.06 -0059


ФУНДАМЕНТАЛНО И ПРИЛОЖНО ОБУЧЕНИЕ  
НА ДОКТОРАНТИ, ПОСТДОКТОРАНТИ,  
СПЕЦИАЛИЗАНТИ И МЛАДИ УЧЕНИ  
В ИНТЕРДИСЦИПЛИНАРНИ БИОЛОГИЧНИ НАПРАВЛЕНИЯ  
И ИНОВАЦИОННИ БИОТЕХНОЛОГИИ.

**Бенефициент:**

Институт по биология и имунология на размножаването "Акад. Кирил Братанов"

**Партньори:**

Софийски Университет „Св. Климент Охридски“, Биологически Факултет  
Химикотехнологичен и металургичен университет, катедра „Биотехнология“  
Проген ООД



Образец № 3

ДО ИБИР – БАН  
бул. „Цариградско шосе“ № 73  
гр. София

**ТЕХНИЧЕСКА ОФЕРТА**

За участие в открита процедура за възлагане на обществена поръчка с предмет:  
**«Доставка на материали /реактиви/ и консумативи по обособени позиции»**

**ЗА ОБОСОБЕНА ПОЗИЦИЯ № 28 и име Консумативи за хистология и имунохистохимия**

Настоящата оферта е подадена от: **БИОПЛАСТ ЕООД** /наименование на участника/  
**ЕИК/БУЛСТАТ 200797338;**

УВАЖАЕМА ГОСПОЖО ДИРЕКТОР,

Заличени подписи - чл.2, ал.1 от ЗЗЛД

Заличен печат - чл.37, ал. 1  
от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1  
от ЗЗЛД

1. С настоящето представяме нашата техническа оферта за обособена позиция № 28 и име **Консумативи за хистология и имунохистохимия** (офертата се изготвя за всяка обособена позиция по отделно) от поръчката.

Предлагаме следните артикули за обособената позиция, по която участвуваме, като прилагаме попълнена таблица, доказваща съответствието на предлаганите от нас артикули с изискванията на Възложителя:

Заличени подписи - чл.2, ал.1 от  
ЗЗЛД

Заличени  
подписи - чл.2,  
ал.1 от ЗЗЛД

Заличен печат - чл.37, ал. 1 от ЗЗК  
- търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД

(1)	(2)	(3)	(4)	(5)	(6)	(7)
№ по ред	Номер от ОП	Наименование	Единица мярка	Количество	Предложение на участника, включващо технически характеристики на артикула, съобразно изискванията на техническата спецификация на Възложителя	Предложение на участника, включващо каталожен или партиден номер на артикула, даден от производителя на артикула и име на производителя на артикула  (тази колона се попълва задължително само за обособени позиции № 1 – 38)
24	ОП К-28	Обособена позиция № 28 - Име – Консумативи за хистология и имунохистохимия				
25	ОП К-28-1	Хистологични касети за включване на парафинови блокчета, без капак; 1000 бр./опаковка	опаковка	4	Хистологични касети за включване на парафинови блокчета, без капак; 1000 бр./опаковка	EAD-0102-03A CellPath
26	ОП К-28-2	Касети за изливане на парафинови блокчета за еднократна употреба; размери: 33x25x13mm; 100 бр./опаковка	опаковка	6	Касети за изливане на парафинови блокчета за еднократна употреба; размери: 33x25x13mm; 100 бр./опаковка	GAD-5302-02A CellPath
26	ОП К-28-3	Касети за изливане на парафинови блокчета за еднократна употреба; размери: 15x15x5mm; 100 бр./опаковка	опаковка	2	Касети за изливане на парафинови блокчета за еднократна употреба; размери: 15x15x5mm; 100 бр./опаковка	GAD-1502-02A CellPath
27	ОП К-28-4	Адхезивни стъкла за имунохистохимия, едностранно шлифован край за надписване, 100 бр./опак. Могат да се предлагат и други разфасовки, които да отговарят на общ брой от 1500 стъкла	брой	15	Адхезивни стъкла за имунохистохимия, едностранно шлифован край за надписване, 72 бр./опак.	MDB-0102-54A CellPath
28	ОП К-28-5	Стъкла за хистология; 76x26x1mm, изрязани ъгли под ъгъл 45°, едностранно шлифован край за надписване, 50 бр./опак.	брой	20	Стъкла за хистология; 76x26x1mm, изрязани ъгли под ъгъл 45°, едностранно шлифован край за надписване, 50 бр./опак.	1041100 Heinz Herenz Medizinalbedarf GmbH
29	ОП К-28-6	Покривни стъкла с размери 24x50mm и дебелина 0,13-0,16 mm; подходящи за автоматичен процесор; 100 бр./кутия.	кутия	20	Покривни стъкла с размери 24x50mm и дебелина 0,13-0,16 mm; подходящи за автоматичен процесор; 100 бр./кутия.	1052463 Heinz Herenz Medizinalbedarf GmbH
30	ОП К-28-7	Покривни стъкла с размери 22x32mm и дебелина 0,13-0,16 mm; подходящи за	кутия	20	Покривни стъкла с размери 22x32mm и дебелина 0,13-0,16 mm; подходящи за	1052261 Heinz Herenz Medizinalbedarf

Проектът се осъществява с финансовата подкрепа на Оперативна програма „Развитие на човешките ресурси“ 2007-2013, съфинансирана от Европейския съюз чрез “Европейския социален фонд”

Заличени подписи - чл.2, ал.1 от ЗЗЛД

Заличен печат - чл.37, ал.1 от ЗЗК - търговска тайна; Заличен подпис - чл.2, ал.1 от ЗЗЛД

31	ОП К-28-8	автоматичен процесор; 100 бр./кутия.	кутия	5	автоматичен процесор; 100 бр./кутия.	GmbH 1052060 Heinz Herenz Medizinalbedarf GmbH 1061100 Heinz Herenz Medizinalbedarf GmbH
32	ОП К-28-9	Покривни стъкла с размери 20x20mm и дебелина 0,13-0,16 mm; подходящи за автоматичен процесор; 100 бр./кутия.	брой	40	Пластимасови кутии за съхранение на хистологични стъкла; капацитет 100 бр.	JDD-0300-00A CellPath JDD-0100-00A CellPath JDD-0200-00A CellPath JDD-0400-00A CellPath JRI-0100-00A CellPath LP0002 ScyTek Inc. M920-1 ScyTek Inc.
33	ОП К-28-10	автоматичен процесор; 100 бр./кутия.	опаковка	2	Нископрофилни микротомни ножчета A+ за много фини срези; подходящи за меки и твърди тъкани; 50бр./опак.	1070107 Heinz Herenz Medizinalbedarf GmbH
34	ОП К-28-11	Покривни стъкла с размери 20x20mm и дебелина 0,13-0,16 mm; подходящи за автоматичен процесор; 100 бр./кутия.	опаковка	2	Нископрофилни микротомни ножчета S+ за рутинни срези; 50бр./опак.	1070109 Heinz Herenz Medizinalbedarf GmbH
35	ОП К-28-12	Пластимасови кутии за съхранение на хистологични стъкла; капацитет 100 бр.	опаковка	2	Нископрофилни микротомни ножчета R+ за твърди тъкани; подходящи за рязане под формата на ленти; 50бр./опак.	
36	ОП К-28-13	Нископрофилни микротомни ножчета A+ за много фини срези; подходящи за меки и твърди тъкани; 50бр./опак.	опаковка	2	Нископрофилни микротомни ножчета H+ за криостатни срези; 50бр./опак.	
37	ОП К-28-14	Нископрофилни микротомни ножчета S+ за рутинни срези; 50бр./опак.	брой	1	Охлаждащ модул, състоящ се от изолирана база и охлаждаща алуминиева плоча; да позволява поддържането на -20°C до 4 часа; капацитет - до 28 блокчета.	
38	ОП К-28-15	Нископрофилни микротомни ножчета R+ за твърди тъкани; подходящи за рязане под формата на ленти; 50бр./опак.	брой	2	Ограничаващ молив за имунохистохимия	
39	ОП К-28-16	Нископрофилни микротомни ножчета H+ за криостатни срези; 50бр./опак.	брой	2	Влажна камера за имунохистохимия с прозрачен капак; два реда за поставяне на стъкла, които прилепват към гума; капацитет - 2 x 10 стъкла; размери с капака - 38 x 24 x 4.5 cm	
40	ОП К-28-17	Охлаждащ модул, състоящ се от изолирана база и охлаждаща алуминиева плоча; да позволява поддържането на -20°C до 4 часа; капацитет - до 28 блокчета.	кг.	10	Парафин	
41	ОП К-28-18	Ограничаващ молив за имунохистохимия	брой	3	Статив за микроцентрофужни епруветки; капацитет - 20 бр.; размери: 90x210x49 mm (ШxДxВ)	
42	ОП К-28-19	Влажна камера за имунохистохимия с прозрачен капак; два реда за поставяне на стъкла, които прилепват към гума; капацитет - 2 x 10 стъкла; размери с капака - 38 x 24 x 4.5 cm	брой	10	Бехерови чаши с обем 600 ml, Висока форма; изработени от боросиликатно стъкло.	
43	ОП К-28-20	Парафин	брой	10	Бехерови чаши с обем 1000 ml, Висока форма; изработени от боросиликатно стъкло.	

Проектът се осъществява с финансовата подкрепа на Оперативна програма „Развитие на човешките ресурси“ 2007-2013, съфинансирана от Европейския съюз чрез “Европейския социален фонд”

Заличени подписи - чл.2, ал.1 от ЗЗЛД

Заличен и подписи - чл.2, ал.1 от ЗЗЛД

Заличен печат - чл.37, ал.1 от ЗЗК - търговска тайна; Заличен подписи - чл.2, ал.1 от ЗЗЛД

44	ОП К-28-21	Притъглена анатомична пинцета, изработена от неръждаема стомана; дължина 14,5 см.	брой	5	Притъглена анатомична пинцета, изработена от неръждаема стомана; дължина 14,5 см.	1110201 Heinz Herenz Medizinalbedarf GmbH
45	ОП К-28-22	Островърха анатомична пинцета, изработена от неръждаема стомана; дължина 14,5 см.	брой	5	Островърха анатомична пинцета, изработена от неръждаема стомана; дължина 14,5 см.	1110202 Heinz Herenz Medizinalbedarf GmbH
46	ОП К-28-23	Приплесната пинцета за покривни стъкла, изработена от неръждаема стомана; дължина 11,0 см.	брой	5	Приплесната пинцета за покривни стъкла, изработена от неръждаема стомана; дължина 11,0 см.	1110204 Heinz Herenz Medizinalbedarf GmbH
47	ОП К-28-24	Антимагнитна, извита островърха пинцета, изработена от неръждаема стомана; дължина 13,0 см; без ограничаващ щифт.	брой	5	Антимагнитна, извита островърха пинцета, изработена от неръждаема стомана; дължина 13,0 см; без ограничаващ щифт.	1110272 Heinz Herenz Medizinalbedarf GmbH
48	ОП К-28-25	Права островърха ножица: дължина 14,5 см	брой	5	Права островърха ножица: дължина 14,5 см	1110602 Heinz Herenz Medizinalbedarf GmbH
49	ОП К-28-26	Права островърха очна ножица: дължина 9 см	брой	5	Права островърха очна ножица: дължина 9 см	1110604 Heinz Herenz Medizinalbedarf GmbH
50	ОП К-28-27	Дръжка за скалпел със сменяеми остриета No.3; изработен от неръждаема стомана.	брой	5	Дръжка за скалпел със сменяеми остриета No.3; изработен от неръждаема стомана.	1110706 Heinz Herenz Medizinalbedarf GmbH
51	ОП К-28-28	Сменяеми остриета за скалпел No.11; стерилни, единично опаковани; 100 бр./опак.	брой	3	Сменяеми остриета за скалпел No.11; стерилни, единично опаковани; 100 бр./опак.	1110911 Heinz Herenz Medizinalbedarf GmbH
52	ОП К-28-29	Сменяеми остриета за скалпел No.10; стерилни, единично опаковани; 100 бр./опак.	брой	3	Сменяеми остриета за скалпел No.10; стерилни, единично опаковани; 100 бр./опак.	1110910 Heinz Herenz Medizinalbedarf GmbH
53	ОП К-28-30	Дигитален таймер снабден със секундомер и обратно броене с аларма.	брой	3	Дигитален таймер снабден със секундомер и обратно броене с аларма.	1080361 Heinz Herenz Medizinalbedarf GmbH

Забележка: Колони (1) – (5) от таблицата се попълват съгласно Техническата Спецификация на Възложителя - Приложение № 1 от документацията за участие – без да се променят !!

Проектът се осъществява с финансовата подкрепа на Оперативна програма „Развитие на човешките ресурси“ 2007-2013, съфинансирана от Европейския съюз чрез

Заличени подписи - чл.2, ал.1 от 33ЛД

Заличени подписи - чл.2, ал.1 от 33ЛД

Заличен печат - чл.37, ал.1 от 33К - Търговска тайна; Заличен подпис - чл.2, ал.1 от 33ЛД

2. Срокът за изпълнение на доставки по обособената позиция, след получаване на възлагателно писмо от Възложителя е до 10 календарни дни (*минимум 1 ден и не повече от 45 календарни дни. При непотъване от участника се приема 45 кал. дни*).

3. За обособени позиции № 1 – 38: Остатъчният срок на годност на предложените с офертата стоки към датата на доставка ще бъде 36 месеца (*не по-малко от 9 месеца, където е приложимо*). Под остатъчен срок на годност се има предвид времето за което реактивът е годен за употреба след доставка в сградата на Възложителя.

4. Ако бъдем избрани за изпълнител се ангажираме да осигурим предложените с офертата стоки за целия срок на договора. В случай, че поради непредвидени обстоятелства същите бъдат спрени от производство се ангажираме да предложим продукт с еквивалентни или сходни характеристики.

5. Осигуряваме следното време за реакция, при подадена рекламация на артикул от страна на Възложителя, съгласно условията на договора: 1 дни (*минимум 1 и максимум 14 календарни дни. При непотъване от участника се приема 14 кал. дни*). В посочения срок ще отговорим на Възложителя обосновано в писмен вид дали приемаме или отхвърляме рекламацията.

6. Стоките (с изключение на рециклирани тонери) ще се доставят в оригинална, ненарушена опаковка на производителя, при спазване на условията на производителя за транспорт и съхранение на артикула.

7. При доставка, стоките ще бъдат придружени от приложимите за случая сертификати и документи, издадени от производителя и/или контролиращи организации.

8. Подаването на настоящата техническа оферта удостоверява безусловното приемане от наша страна на всички изисквания и задължения, поставени от Възложителя в провежданата процедура за съответната обособена позиция.

**! ВАЖНО:** Ако участникът подава оферта за повече от една обособена позиция, плик № 2, т.е. Техническа оферта се представя за всяка обособена позиция по отделно в отделен плик № 2 и се надписва по следния начин:

„Име на участника: .....

Предложение за изпълнение на поръчката по обособена позиция № ....”

Дата 8.08.2014 год  
гр. София

.....  
/ подпис, п

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна; Заличен подпис - чл.2, ал.1 от ЗЗЛД
--

Упълномощен да подпише предложението за и от името на  
..... (*изписва се името на участника*)

.....  
(*изписва се името на упълномощеното лице и длъжността, като в случай, че това не е законния представител на участника се прилага нотариално заверено пълномощно*).

Заличени подписи - чл.2, ал.1 от ЗЗЛД
--

0712-28-1



Call our customer service team on  
**0800 6121383**

Search CellPath Submit

- HOME ABOUT US
- WHO WE ARE CUSTOMER CARE
- PLACING AN ORDER EXPORT EXHIBITIONS
- PRODUCTS DOWNLOAD
- PRODUCT BROCHURES DATA SHEETS (SDS) QUALITY CERTIFICATION INSTRUCTIONS FOR USE AND INTENDED USE (IFU/D) SCIENTIFIC PAPERS
- NEWS ARCHIVE SOLUTIONS
- WHY CELLPATH?
- DATA CELLTRAK CONTACT

## Innovation in Cellular Pathology

### SYSTEM II HEX-CASSETTE - WHITE

Part Number - EAD-0102-03A

The Essentials Package

Transport

Cut Up and Autopsy

Processing and Embedding

Processing Chemicals

Histological Wax

Safety Matting

Tissue Processing Cassettes

Base Moulds

Embedding Rings

Support Stubs

Biopsy Cassettes

Curetting Cassettes

Biopsy Pads and Wraps

Biopsy Bags

Heated Forceps

Cryotomy

Sectioning

Cytology

Staining


Mounting Media

Labelling

Onsite Archive and Storage

Offsite Archive and Storage

Miscellaneous



Tissue Processing Cassette - White The System II Hex Cassette differs from conventional round hole processing cassettes in that it has hexagonal instead of round perforations arranged in a honeycombed structure to better utilise the available surface area. This unique arrangement increases the open area by approximately 13 percent thereby increasing reagent flow through and improving specimen staining and analysis time.

A potential cost saving benefit is that there is less carry over of chemicals so reducing the frequency of chemical change. Although made to an international industry standard size, the Hex Cassette is designed to suit all established cassette writing machines and benefits from extra thick side walls, so increasing stability and rigidity, which is crucial for high quality sectioning.

The Hex Cassette is manufactured

from high

• grade virgin acetyl resin, ensuring both quality and performance is maintained at the high standard expected from CellPath products.

As with all CellPath cassettes the Hex cassette is available in 15 stock colours, which allow laboratories to colour code different types of workload or different applications, the Hex Cassette can also be manufactured in bespoke colours at the customer

• s request.

- Increased reagent flow through
- Improved analysis time and staining
- Less carry over of chemicals
- Increased stability and rigidity
- Large colour range
- Bespoke colours available (minimum order quantities apply)

Заличен печат - чл.37, ап. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ап.1 от ЗЗЛД



Заличен печат - чл.37, ал. 1 от ЗЗК - търговска  
тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД





Call our customer service team on

**0800 6121383**

Search CellPath

Submit

HOME ABOUT US  
 PRODUCTS  
 DOWNLOADS  
 NEWS ARCHIVE SOLUTIONS  
 WHY CELL  
 CONTACT



## Innovation in Cellular Pathology

### The Essentials Package

Transport

Cut Up and Autopsy

### Processing and Embedding

Processing Chemicals

Histological Wax

Safety Matting

Tissue Processing Cassettes

Base Moulds

Embedding Rings

Support Stubs

Biopsy Cassettes

Curetting Cassettes

Biopsy Pads and Wraps

Biopsy Bags

Heated Forceps

### Cryotomy

Sectioning

Cytology

Staining

Mounting Media

Labelling



Onsite Archive and Storage

Offsite Archive and Storage

Miscellaneous

## DISPOMOULD 33X25X13MM

Part Number - GAD-5302-02A



### Disposable Plastic Moulds

DispoMoulds are manufactured in high impact polystyrene offering a low cost alternative to stainless steel.

DispoMoulds offer ease and convenience of operation.

DispoMoulds are available in a choice of sizes and depths and are ideal for unpredictable workloads. The moulds have a smooth interior finish and rounded corners for ease of removal.

There are five moulds per strip and the standard pack size has one hundred strips.

- Wide range of sizes to suit your needs
- Disposable
- no cleaning required
- International industry standard sizes
- Cost effective solutions to stainless steel moulds

01K-28-3



Call our customer service team on

0800 6121383

Search CellPath

Submit

HOME ABOUT US  
 PRODUCTS  
 DOWNLOADS  
 NEWS ARCHIVE SOLUTIONS  
 WHY CELL  
 ITA BELLE  
 CONTACT

## Innovation in Cellular Pathology

The Essentials Package

Transport

Cut Up and Autopsy

Processing and Embedding

Processing Chemicals

Histological Wax

Safety Matting

Tissue Processing Cassettes

Base Moulds

Embedding Rings

Support Stubs

Biopsy Cassettes

Curetting Cassettes

Biopsy Pads and Wraps

Biopsy Bags

Heated Forceps

Cryotomy

Sectioning

Cytology

Staining

Mounting Media



Labelling

Onsite Archive and Storage

Offsite Archive and Storage

Miscellaneous

## DISPOMOULD 15X15X5MM

Part Number - GAD-1502-02A

### Disposable Plastic Moulds

DispoMoulds are manufactured in high impact polystyrene offering a low cost alternative to stainless steel.

DispoMoulds offer ease and convenience of operation.

DispoMoulds are available in a choice of sizes and depths and are ideal for unpredictable workloads. The moulds have a smooth interior finish and rounded corners for ease of removal.

There are five moulds per strip and the standard pack size has one hundred strips.

- Wide range of sizes to suit your needs
- Disposable
- no cleaning required
- International industry standard sizes
- Cost effective solutions to stainless steel moulds

© 2014 CellPath. All Rights Reserved. | Freephone: 0800 6121383, Fax: +44 (0) 1686 622 946 | E-mail: <mailto:info@cellpath.co.uk>?subject=Email%20From%20Website

[Accessibility](#) | [Help](#) | [Sitemap](#) | [Contact Us](#) | [News](#) | [Legal Notice](#) | [Terms & Conditions](#)


Website Design & Development by Culex

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
 Заличен подпис - чл.2, ал.1 от ЗЗЛД

# Positive Charged Slides

## Adhesion Slides in 6 Colours

CellPath own brand positively charged adhesion glass slides offer state-of-the-art adhesion. These glass slides are made from revolutionary technology with built-in properties that attract both electrostatically and chemically.



### Suitable for use with -

- Immunocytochemistry and DNA hybridization techniques
- Difficult formalin fixed paraffin embedded tissue sections
- Fresh frozen tissue sections
- Cytological preparations for an improved cell harvest

Заличен печат - чл.37, ал.  
1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1  
от ЗЗЛД

Product Code	Unit Size	Description
MDB-0102-54A ○	72	ADHESION SLIDE (CHARGED) - WHITECOAT +
MDB-0104-54A ●	72	ADHESION SLIDE (CHARGED) - GREENCOAT +
MDB-0106-54A ●	72	ADHESION SLIDE (CHARGED) - BLUECOAT +
MDB-0107-54A ●	72	ADHESION SLIDE (CHARGED) - ORANGECOAT +
MDB-0108-54A ●	72	ADHESION SLIDE (CHARGED) - PINKCOAT +
MDB-0109-54A ○	72	ADHESION SLIDE (CHARGED) - YELLOWCOAT +

**NEW**

For more information please call Customer Care on 01686 611333  
or contact your CellPath Account Manager.

**Cell**

INNOVATION IN CELLULAR PATHOLOGY




CellPath Limited  
80 Mochdre Enterprise Park  
Newtown, Powys  
SY16 4LE, Mid-Wales UK


Tel: +44 (0) 1686 611 333  
Fax: +44 (0) 1686 622 946  
Email: [sales@cellpath.co.uk](mailto:sales@cellpath.co.uk)  
Web: [www.cellpath.co.uk](http://www.cellpath.co.uk)

**Microscopic slides, cut edges**

Washed and cleaned, 76 x 26 x 1 mm, extra white glass, in abrasion-proof boxes. PU = 50 pcs/box, 5,000 pcs/carton



Item	Description	MOQ
1041000	cellophanized	50 pcs
1041010	without cellophane	5,000 pcs
1041100	cellophanized, frosted field	50 pcs
1041110	w/o cellophane, frosted field	5,000 pcs

**Microscopic slides, ground edges 90°**

Washed and cleaned, 76 x 26 x 1 mm, extra white glass, in abrasion-proof boxes. PU = 50 pcs/box, 5,000 pcs/carton

Item	Description	MOQ
1042000	cellophanized	50 pcs
1042010	without cellophane	5,000 pcs
1042100	cellophanized, frosted field	50 pcs

**Microscopic slides, Economy, cut edges**

Appr. 75 x 25 x 1 mm, transparent green glass. PU = 50 pcs/box, 5,000 pcs/carton

Item	Description	MOQ
1041050	Box cellophanized	5,000 pcs
1041150	Box cellophanized, frosted field	5,000 pcs


Execution with **WHITE GLASS** available upon request!

**Microscopic slides, Economy, ground edges 90°**

Appr. 75 x 25 x 1 mm, transparent green glass. PU = 50 pcs/box, 5,000 pcs/carton

Item	Description	MOQ
1042050	Box cellophanized	5,000 pcs
1042150	Box cellophanized, frosted field	5,000 pcs

Execution with **WHITE GLASS** available upon request!


**Dispenser for slides**

ABS made, for max. 72 slides. PU = 20 pcs/box

Item	Description	MOQ
1081603	dispenser for slides	1 pc

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД

07K-28-6  
 07K-28-7  
 07K-28-8



**Cover glasses, non-ground**


No. 1 (0.13-0.16 mm thickness), **Borosilicate glass**.  
 PU = 100 pcs/plastic box, 10 plastic boxes/carton

**Upon request:**  
 size 0  
 (0.08-0.12 mm)  
 size 1.5  
 (0.16-0.19 mm)  
 size 2  
 (0.19-0.23 mm)  
 packing 50 pcs/box

Item	Description	MOQ
1051801	18 x 18 mm	1,000 pcs
1052001	20 x 20 mm	1,000 pcs
1052201	22 x 22 mm	1,000 pcs
1052221	22 x 32 mm	1,000 pcs
1052210	22 x 40 mm	1,000 pcs
1052211	22 x 50 mm	1,000 pcs
1052212	22 x 60 mm	1,000 pcs
1052401	24 x 24 mm	1,000 pcs
1052411	24 x 32 mm	1,000 pcs
1052421	24 x 40 mm	1,000 pcs
1052431	24 x 50 mm	1,000 pcs
1052441	24 x 60 mm	1,000 pcs

**Cover glasses, Economy, non-ground**

No. 1 (0.13-0.16 mm thickness), **borosilicate glass**, also suitable for automated processes (cover slipper).




Diamond writers,  
 waterproof glass markers  
 on page 116.

Item	Description	MOQ
• PU = 200 pcs/box, 2,000 pcs/carton, 20,000 pcs/outer carton		
1051860	18 x 18 mm	2,000 pcs
✓ 1052060	20 x 20 mm	2,000 pcs
1052260	22 x 22 mm	2,000 pcs
1052460	24 x 24 mm	2,000 pcs

• PU = 100 pcs/box, 1,000 pcs/carton, 20,000 pcs/outer carton		
✓ 1052261	22 x 32 mm	1,000 pcs
1052262	22 x 40 mm	1,000 pcs
1052263	22 x 50 mm	1,000 pcs
1052264	22 x 60 mm	1,000 pcs
✓ 1052461	24 x 32 mm	1,000 pcs
1052462	24 x 40 mm	1,000 pcs
✓ 1052463	24 x 50 mm	1,000 pcs
1052464	24 x 60 mm	1,000 pcs

**Cover glasses, Economy, non-ground**

No. 1 (0.13-0.16 mm thickness), **AR-glass**, for manual use  
 PU = 200 pcs/tropical packing (vacuum sealed), 2,000 pcs/carton,  
 40,000 pcs/outer carton




Item	Description	MOQ
1051850	18 x 18 mm	2,000 pcs
1052050	20 x 20 mm	2,000 pcs
1052250	22 x 22 mm	2,000 pcs
1052450	24 x 24 mm	2,000 pcs

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
 Заличен подпис - чл.2, ал.1 от ЗЗЛД

### McMaster counting chamber

2 parts, English model, with fixed cover slide, suitable for counting of worm eggs.


Item	Description	MOQ
1080307	McMaster	1 pc



### Storage case

Black, wooden frame with plastic register.  
PU = 10 pcs/pack


Item	Description	MOQ
1060015	for 15 slides	1 pc
1060025	for 25 slides	1 pc
1060050	for 50 slides	1 pc
1060100	for 100 slides	1 pc



### Storage case made of PP

Black, incl. register.


Item	Description	MOQ
✓ 1061100	for 100 slides	1 pc



### Storage case

White, for 50 slides, Polystyrol made, including 2 % white Masterbatch, storable up to -50°C, incl. register.


Item	Description	MOQ
1061050	for 50 slides	1 pc



### Slide storage map

Cardboard, with cover.

Item	Description	carton with	MOQ
1062020	for 20 slides	50 pcs	1 pc
1062026	for 10 slides	50 pcs	1 pc
1062023	for 5 slides	150 pcs	1 pc
1062024	for 3 slides	150 pcs	1 pc
1062022	for 2 slides	150 pcs	1 pc




### Slide storage tray

Cardboard, without cover.

Item	Description	carton with	MOQ
1062021	for 20 slides	100 pcs	1 pc
1062025	for 10 slides	50 pcs	1 pc


Заличен печат - чл.37, ал. 1 от  
ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от  
ЗЗЛД



01K-28-10  
 01K-28-11  
 01K-28-12  
 01K-28-13

# CellEdge Microtome Blades

**NEW**



CellEdge disposable microtome blades are manufactured from the finest grade of medical stainless steel, which is heat treated and finely ground, using proprietary Japanese sharpening technology to produce an ultra precise cutting edge. The novel blade edge geometry, coupled with an advanced PTFE coating, provides blades with exceptional sharpness, durability and consistency, and allows users to repeatedly deliver high quality sections for diagnosis.

The CellEdge blade is available in four types to ensure the correct blade is available for all laboratory sectioning requirements.




### CellEdge S+

- For routine specimens.
- Excellent section quality and blade longevity.
- Short trimming time




### CellEdge R+

- For harder specimens
- Balance of durability and sharpness
- Excellent for ribbon sectioning
- Short trimming time



### CellEdge A+

- For extra thin Sections
- Suitable for both soft and hard tissues
- Very sharp
- Short trimming time



### CellEdge H+

- For routine specimens, cryo and paraffin sectioning
- Excellent section quality and blade longevity
- Short trimming time.

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
 Заличен подпис - чл.2, ал.1 от ЗЗЛД

Product Code	Unit Size	Description
JDD-0100-00A		CELLEDGE S+ ROUTINE MICROTOME BLADE - 50 BLADES
JDD-0200-00A		CELLEDGE R+ DURABLE MICROTOME BLADE - 50 BLADES
JDD-0300-00A		CELLEDGE A+ THIN SECTION MICROTOME BLADE - 50 BLADES
JDD-0400-00A		CELLEDGE H+ HIGH PROFILE MICROTOME BLADE - 50 BLADES

**For more information please contact your local Dealer**

**Cell**

INNOVATION IN CELLULAR PATHOLOGY



**CellPath Ltd**  
 80 Mochdre Enterprise Park  
 Newtown, Powys  
 SY16 4LE, Mid-Wales UK

Tel: +44 (0) 1686 611 333  
 Fax: +44 (0) 1686 622 946  
 Email: sales@cellpath.co.uk  
 Web: www.cellpath.co.uk


ONK-28-14



Call our customer service team on  
**0800 6121383**

Search CellPath  Submit

- HOME ABOUT US
- WHO WE ARE CUSTOMER CARE
- PLACING AN ORDER EXPORT EXHIBITIONS
- PRODUCTS
- DOWNLOAD
- PRODUCT BROCHURES DATA SHEETS (SDS) QUALITY CERTIFICATION INSTRUCTIONS FOR USE AND INTENDED USE (IFU/IO) SCIENTIFIC PAPERS
- NEWS ARCHIVE SOLUTIONS
- WHY CELLNASSY?
- PLA METTRAK
- CONTACT



The Essentials Package

Transport

Cut Up and Autopsy

Processing and Embedding

Cryotomy

Sectioning

- Microtome Blades
- Microtome Blade Holders
- Routine Slides
- Adhesion Slides
- Supa Mega Slides
- Coverslips
- Coverslipping Tape
- Tissue Softener
- Chiller Plates

Cytology

Staining

Mounting Media

Labelling



Onsite Archive and Storage

Offsite Archive and Storage

Miscellaneous

ICEBERG COLD PLATE AND BASE

Part Number - JRI-0100-00A



Block Chiller Plate - Complete The Iceberg cold station is designed to replace water ice blocks or chiller sprays frequently used to cool tissue blocks prior to sectioning. The Iceberg comprises a moulded, insulated base and a removable rugged aluminium cold plate.

This cold plate is stored in the freezer compartment or cryostat when not in use and is placed in the base whenever blocks need to be cooled prior to microtomy. The cold plate can be cooled to -20oC and will chill blocks for periods of up to 4 hours at room temperature.

The large work area enables up to 28 blocks to be cooled at one time, essential in busy laboratories. The base collects condensate so the bench and floor stay dry.

- Convenient size fits right alongside your microtome
- Innovative design
- Remains cold for up to four hours

- Durable construction
- No electrical components to go wrong

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД






# Life Science

SHOPPING CART  
0 items in your cart  
mailto:scyttek@scyttek.com

- Company
- Products
- Support
- Knowledge Center
- Contact

### Products Category

- Enzyme Immunoassay
- Immunohistochemistry
- Antibodies
- DNA Ploidy Analysis
- Histology
- Cytology
- Hematology
- Microbiology
- Buffers



### Products

#### PAP Pen-Mini



This marking pen has been designed to provide a thin film-like barrier when a circle is drawn around the specimen on a slide. This barrier creates the proper surface tension to hold an antibody solution within the target area on the slide. PAP Pen contains a special formulation which is insoluble in alcohol and acetone. It can be removed, if desired, by xylene after the staining procedure is completed.

Select Size  
1 ea. -> LP0002

Submit

[Privacy Policy](#) [Terms and Conditions](#) [Refund Policy](#)

© 2014 ScyTek Laboratories, Inc. 205 South 600 West Logan, UT 84321, 800-729-8350 scyttek@scyttek.com  
All Rights Reserved.

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД

## M920 StainTray™ Slide Staining System

Made of ABS Plastic

Another user friendly approach to immunohistochemistry staining. This tray is also suitable not only for routine staining requiring a humid chamber but is also ideal for Hematology, Cytology and Microbiology laboratories. Manipulation is made safe and easy by using only one hand.

The StainTray™ has a black base made of tough ABS plastic withstanding a wide range of chemicals (Avoid chlorinated hydrocarbons). It will accept up to 20 slides on four plastic rails covered with a polymer strip to perfectly hold slides even if tray is held at an angle. When humidity is needed, wells between rails will hold up to one ml of water securely without splashing. Middle wells will hold up to 2 ml each. Rails are raised not only to avoid water touching the slides but to make them more easily retrievable. The base will also hold excess stain solution dripping from the slides. Four rubber feet ensure greater base stability. Units are stackable for space saving purposes.

Two covers are available:

- A clear one allowing for visual examination. Made of PETG with a temperature range of -20 °C to +60 °C.
- A black lid for fluorescent work. Made of ABS with a temperature range of -80 °C to +80 °C


Dimensions with cover: 38 x 24 x 4.5 cm H (15 x 9 7/8 x 1 7/8 in. H)



**DO NOT USE  
WITH ACETONE**

## SLIDE STAINING

Cat.#	Description	Capacity	Qty/Cs
M920-1	Base with Clear Lid	20 slides	1
M920-2	Base with Black Lid	20 slides	1
M921-1	Clear Lid only for M920	-	1
M921-2	Black Lid only for M920	-	1



## M918 StainTray™ Slide Staining System


Made of ABS Plastic

This 10-slide StainTray™ offers the same great features and benefits as the M920 Model. Dimensions with cover: 24 x 24 x 4.5 cm H (9 3/8 x 9 3/8 x 1 7/8 in. H)

Cat.#	Description	Capacity	Qty/Cs
M918-1	Base with Clear Lid	10 slides	1
M918-2	Base with Black Lid	10 slides	1
M919-1	Clear Lid only for M918	-	1
M919-2	Black Lid only for M918	-	1



Plastic rails are covered with a polymer strip to hold slides perfectly even if tray is held at an angle.



Wells between rails can be used to hold water for techniques needing a humid environment.



Drain plug can be removed for easier emptying of SlideTray.



A black lid for fluorescent work. Made of ABS with a temperature range of -80 °C to +80 °C.



Call our customer service team on  
**0800 6121383**

Search CellPath

Submit

HOME ABOUT US  
PRODUCTS

THE ESSENTIALS  
PACKAGING TRANSPORT

More...

FIXATIVES  
TUBS PRE-FILLED  
TUBING PRE-FILLED  
BAGS PRE-FILLED  
POTS EMPTY SPECIMEN  
POTS

CUT UP AND AUTOPSY

More...

## Innovation in Cellular Pathology

KNIVES AND BLADES  
BOARDS DECALCIFYING  
SOLUTION SAFETY  
GLOVES SPECIMEN MARKING  
DYES

PROCESSING AND EMBEDDING

More...

CUT UP and Autopsy  
Processing and Embedding  
CHEMICALS HISTOLOGICAL  
WAX SAFETY

MATTING TISSUE PROCESSING

CASSETTES BASE

MOULDS TRANSPORT

STUBS BIOPSY

CASSETTES CURETTING

CASSETTES BIOPSY PADS AND

WRAPS BIOPSY

BAGS PRE-FILLED RINGS

FORCEPS EMBEDDING RINGS

CRYOTOLOGY

More...

Curettling Cassettes  
EMBEDDING

MATTS BIOPSY PADS AND

SPRAY BLADES AND

HOLDERS

TECHNIQUES

More...

CRYOTOLOGY

DETERMINATES MICROTOME

BLADES MICROTOME BLADE

HOLDERS ROUTINE

SLIDES ADHESION

SLIDES SUPA MEGA

SLIDES OVERSLIPS OVERSLIPPING

TAPE TISSUE SOFTENER

CYTOTOLOGY

More...

CONVENTIONAL CYTOLOGY

KITS SPECULUMS CBC

SPALLERS CBC SAMPLER

BRUSHES CBC KITS CBC

TRANSPORT

SYSTEMS CONVENTIONAL

CYTOTOLOGY POPWOOD

TRAYS PRE-FILLED RINGS TRANSPORT

ACCESSORIES PAPANICOLAOU

STAINS URINE SAMPLE

COLLECTION

More...

GOPLIN JARS STAINING

DISHES STAINING

RACKS STAINING

TRAYS ANTIGEN

RETRIEVERS STAINING

KITS STAINS AND SPECIAL

STAINS IMMUNOHISTOCHEMISTRY


(IHC)

COUNTING MEDIA

More...

## CELLWAX (POLYMER FREE) - 2 X 10KG TISSUESTOR TUBS

Part Number - GCA-0301-00A



- Ultra pure and filtered, ensures no contamination of specimens or knife damage
- Polymer Free
- Pelletised for easy dispensing and fast melt down
- Available in 10Kg, 2 x 10Kg and 20Kg packs CellWax is a blend of ultra pure microcrystalline paraffin wax; the formulation ensures that all tissue types can be sectioned with minimum of compression and consistent ribboning. CellWax has a melting point of 56/58oC and will remain stable when molten for prolonged periods.
- Supplied as free flowing pellets packed in 1kg bags for easy handling or as a bulk pack of 20kg.



Freephone: 0800 6121383, Fax: +44 (0) 1686 622 946 | E-mail: mailto:info@cellpath.co.uk?subject=Email%20From%20Website

Accessibility | Help | Sitemap | Contact Us | News | Legal Notice | Terms & Conditions

Website Design & Development by Culex

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД

ESTABLISHED 1949

[www.herenz.de](http://www.herenz.de)

# Medical and Laboratory Supplies



GERMANY

Заличен печат - чл.37, ал. 1 от ЗЗК  
- търговска тайна;  
Заличен подпис - чл.2, ал.1 от  
ЗЗЛД

**2013**

**Conical cups, PP**

PP, 1.5 ml, with coverslip fitting for Eppendorf microlitersystems, graduated. PU = 1,000 pcs/bag, 10,000 pcs/carton

Item	Description	MOQ
1130901	1.5 ml, with coverslip	1,000 pcs/carton

Coloured execution available upon request!



**Conical cups SafeFit**

With cap, tight closure, made of especially clear PP, autoclavable up to 121°C, physiologically safe, centrifugation up to 30,000 g.

Item	Description	MOQ
1130906	1,5 ml	8,000 pcs/carton

Coloured design at 3% surcharges available!




**Conical cups, PP**

With coverslip. PU = 1,000 pcs/bag, 10,000 pcs/carton

Item	Description	MOQ
1130902	0.5 ml	1,000 pcs

Item	Description	PU = MOQ
1130905	2.0 ml	8,000 pcs/carton


Coloured execution (1130905) available upon request! (min. 100.000 pcs/colour)



**Rack for microcentrifuge tubes 1,5 ml, PP**

Two-tier, autoclavable, can be used dry, in water baths or in freezers, with alphanumeric reference, for 100 tubes - with closed caps or without caps - or 50 tubes with open caps, stackable even when loaded.

Item	Description	colour	PU = MOQ
1130936	109,5 x 263 x 45 mm	white	20 pcs/carton
1130937	109,5 x 263 x 45 mm	blue	20 pcs/carton
1130938	109,5 x 263 x 45 mm	yellow	20 pcs/carton
1130939	109,5 x 263 x 45 mm	red	20 pcs/carton




**Rack for microcentrifuge tubes, PP**

Dual level design for holding 20 tubes in pre-numbered cavities (1-10; 11-20), autoclavable.

PU = 60 pcs/carton

Item	Dimensions mm	Height mm	PU = MOQ
1130909	90 x 210	49	30 pcs/carton

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД




Conical cups | Rack for microcentrifuge tubes

01K-28-19  
01K-28-20


EUROPEAN QUALITY  QUALITÄT AUS DER EU

## Beakers

Borosilicate glass, graduated, with spout. PU = 10 pcs/box




Item	Description	MOQ
• tall shape		
1070101	25 ml	1 pc
1070102	50 ml	1 pc
1070103	100 ml	1 pc
1070104	150 ml	1 pc
1070105	250 ml	1 pc
1070106	400 ml	1 pc
√ 1070107	600 ml	1 pc
1070108	800 ml	1 pc
√ 1070109	1000 ml	1 pc
1070110	2000 ml	1 pc (PU=6 pcs/carton)



• low shape		
1070130	25 ml	1 pc
1070131	50 ml	1 pc
1070132	100 ml	1 pc
1070133	150 ml	1 pc
1070134	250 ml	1 pc
1070135	400 ml	1 pc
1070136	600 ml	1 pc
1070137	800 ml	1 pc
1070138	1000 ml	1 pc
1070139	2000 ml	1 pc (PU=4 pcs/carton)

## Erlenmeyer flasks

Borosilicate glass, graduated. PU = 10 pcs/box



Item	Description	MOQ
• narrow neck		
1070201	25 ml	1 pc
1070202	50 ml	1 pc
1070203	100 ml	1 pc
1070204	200 ml	1 pc
1070205	250 ml	1 pc
1070206	300 ml	1 pc
1070207	500 ml	1 pc
1070208	1000 ml	1 pc
1070209	2000 ml	1 pc (PU= 6 pcs/carton)
• wide neck		
1070230	25 ml	1 pc
1070231	50 ml	1 pc
1070232	100 ml	1 pc
1070233	200 ml	1 pc
1070234	250 ml	1 pc
1070235	300 ml	1 pc
1070236	500 ml	1 pc
1070237	1000 ml	1 pc
1070238	2000 ml, wide neck	1 pc (PU= 6 pcs/carton)

Заличен  
печат - чл.37,  
ал. 1 от ЗЗК -  
търговска  
тайна;  
Заличен  
подпис - чл.2,  
ал.1 от ЗЗЛД


011K-28-21  
 011K-28-22  
 011K-28-23

Surgical quality and other types upon request.

**Forceps, stainless steel**

Not for surgical purposes.


Item	Length	MOQ
• Anatom. forceps, stainless steel.		
1110210	13.0 cm blunt	1 pc
1110211	13.0 cm pointed	1 pc
√1110201	14.5 cm blunt	1 pc
√1110202	14.5 cm pointed	1 pc
1110216	16.0 cm blunt	1 pc
1110215	16.0 cm pointed	1 pc
• Forceps with 1:2 teeth.		
1110203	14.5 cm	1 pc
• Forceps for cover-glasses.		
√1110204	11.0 cm	1 pc
• Feilchenfeld-forceps.		
1110205	11.5 cm	1 pc
• Forceps, extremely pointed.		
1110206	ca. 12.0 cm	1 pc
• Forceps, extremely pointed, with pin.		
1110207	14.5 cm	1 pc
• Multi purpose forceps, matt, extremely pointed.		
1110208	ca. 11.5 cm	1 pc
• Soft spring forceps.		
1110209	ca. 10.0 cm	1 pc



**Forceps, antimagnetic**

Item	Length	MOQ
• pointed, antimagnetic, with pin, straight.		
1110240	9.0 cm	1 pc
1110241	10.5 cm	1 pc
1110242	11.5 cm	1 pc
1110243	13.0 cm	1 pc
1110244	14.5 cm	1 pc
• pointed, antimagnetic, with pin, bent.		
1110250	9.0 cm	1 pc
1110251	10.5 cm	1 pc
1110252	13.0 cm	1 pc
1110253	15.0 cm	1 pc
1110254	25.0 cm	1 pc
1110255	30.0 cm	1 pc

Заличен печат - чл.37, ал. 1  
 от ЗЗК - търговска тайна;  
 Заличен подпис - чл.2, ал.1  
 от ЗЗЛД



Forceps antimagnetic

**Forceps, antimagnetic**

**Item Length MOQ**

• pointed, antimagnetic, without pin, straight.

1110260	9.0 cm	1 pc
1110261	10.5 cm	1 pc
1110262	11.5 cm	1 pc
1110263	13.0 cm	1 pc
1110264	14.5 cm	1 pc

• pointed, antimagnetic, without pin, bent.

1110270	9.0 cm	1 pc
1110271	10.5 cm	1 pc
√1110272	13.0 cm	1 pc
1110273	15.0 cm	1 pc
1110274	20.0 cm	1 pc
1110275	25.0 cm	1 pc

• blunt, anatom., antimagnetic, straight.

1110280	10.5 cm	1 pc
1110281	11.5 cm	1 pc
1110282	13.0 cm	1 pc
1110283	14.5 cm	1 pc
1110284	16.0 cm	1 pc
1110286	20.0 cm	1 pc
1110287	25.0 cm	1 pc









**Watchmaker-forceps – Microscope-forceps**

A1 quality, different tips.

**Item Length MOQ**

1110310	1: approx. 11.5 cm	1 pc
1110311	2: approx. 11.5 cm	1 pc
1110312	3: approx. 11.5 cm	1 pc
1110313	4: approx. 11.5 cm	1 pc
1110314	5: approx. 11.5 cm	1 pc
1110315	6: approx. 11.5 cm	1 pc
1110316	7: approx. 11.5 cm	1 pc
1110317	8: approx. 11.5 cm	1 pc
1110318	9: approx. 11.5 cm	1 pc
1110319	10: approx. 11.5 cm	1 pc
<del>1110320</del>	11: approx. 11.5 cm	1 pc
<del>1110321</del>	12: approx. 11,5 cm	1 pc
<del>1110322</del>	13: approx. 11,5 cm	1 pc



Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна; Заличен подпис - чл.2, ал.1 от ЗЗЛД

Watchmaker-forceps | Forceps antimagnetic



Surgical quality and other types upon request.

07K-28-25  
07K-28-26

### Scissors, stainless steel

Item	Length	MOQ
• Scissors, straight, ss.		
1110600	14.5 cm blunt/blunt	1 pc
1110601	14.5 cm blunt/pointed	1 pc
✓1110602	14.5 cm pointed/pointed	1 pc

• Scissors acc. to Cooper, curved up, ss.		
1110603	14.5 cm blunt/pointed	1 pc

• Lister-scissors, ss.		
1110606	14.5 cm	1 pc

• Microscope-scissors, ss.		
1110607	11.5 cm	1 pc

• Nail-scissors, ss, curved up.		
1110608	9.0 cm	1 pc

• Household-scissors, ss.		
1110609	18.0 cm	1 pc

• cuticle scissors, extremely pointed, straight, ss.		
✓1110604	9.0 cm	1 pc
1110605	12.0 cm	1 pc

• cuticle scissors, extremely pointed, bowed, ss.		
1110614	9.0 cm	1 pc

### Universal scissors

Bent, with plastic handle, autoclavable.

Item	Length	MOQ
1110610	appr. 18.0 cm	1 pc

### Bruns plaster scissor with teeth

Item	Length	MOQ
1110625	23 cm	1 pc


### Pocket scissors

Item	Length	MOQ
1110626	12 cm	1 pc

### Stitch scissors

Item	Length	MOQ
1110627	9 cm	1 pc

Заличен печат - чл.37, ал. 1 от ЗЗК - търговска тайна;  
Заличен подпис - чл.2, ал.1 от ЗЗЛД



Scissors | Universal scissors